



# Carroll County

## Tobacco/ESD Use by Adults: 2012-2017

Behavioral Risk Factor Surveillance System (BRFSS)

<b>CURRENT USE OF TOBACCO/ELECTRONIC SMOKING DEVICES (ESDs)</b>				
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017*</b>
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>
<i>Estimated Number (N)</i>				
<b>Any Tobacco</b> <i>(Any tobacco includes cigarettes, cigars, smokeless tobacco, and other tobacco products, excludes ESDs)</i>	23.2 (15.6-30.8) 29,043	20.2 (10.3-30.1) 24,730	21.5 (14.9-28.0) 27,814	18.3 (10.9-25.6) 24,770
<b>Cigarettes</b>	17.9 (11.1-24.7) 22,302	17.3 (7.8-26.8) 20,969	15.0 (9.0-20.9) 18,718	15.2 (7.9-22.4) 19,995
<b>Cigars</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Smokeless Tobacco</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>ESDs</b>	No BRFSS Data Collected	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
		Available	Available	Available
<b>CURRENT TOBACCO USE — Gender and Race/Ethnicity</b>				
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017*</b>
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>
<i>Estimated Number (N)</i>				
<b>Female</b>	20.1 (11.3-29.0) 12,237	BRFSS Data Not Available	15.6 (8.7-22.5) 10,215	14.7 (5.2-24.2) 11,059
<b>Male</b>	27.1 (15.2-39.0) 17,931	BRFSS Data Not Available	27.5 (16.6-38.3) 17,599	22.7 (11.3-34.1) 13,711
<b>White</b>	22.5 (14.8-30.1) 26,597	22.2 (11.5-32.8) 24,310	21.1 (14.2-27.9) 25,165	15.5 (8.4-22.5) 18,628
<b>African American/Black</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Asian</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Hispanic/Latino</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>American Indian/Alaskan Native</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>**Minority Combined (Race &amp; Female)</b>	22.2 (13.0-31.4) 14,636	BRFSS Data Not Available	17.2 (10.3-24.1) 12,567	20.0 (9.8-30.3) 17,201

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

\*Any tobacco includes cigarettes, cigars, and smokeless tobacco, excludes ESDs and other tobacco (pipes, hookah, bidis, kreteks, or dissolvable).

\*\*By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).

<b>CURRENT TOBACCO USE — Income and Education</b>					
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017*</b>	
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	
<i>Estimated Number (N)</i>					
<b>Income</b>					
<b>&lt; \$50k</b>	33.0 (17.9-48.1) 16,328	BRFSS Data Not Available	29.1 (12.8-45.3) 7,363	27.8 (12.0-43.7) 8,382	
<b>&gt; \$50k</b>	12.1 (6.0-18.2) 7,405	BRFSS Data Not Available	21.1 (12.7-29.4) 16,793	BRFSS Data Not Available	
<b>Education</b>					
<b>No High School/High School- GED</b>	29.3 (15.0-43.5) 13,610	BRFSS Data Not Available	25.9 (13.9-37.8) 13,941	BRFSS Data Not Available	
<b>Some College/College Grad</b>	20.7 (12.5-28.9) 16,558	BRFSS Data Not Available	18.4 (11.2-25.5) 13,874	16.4 (7.6-25.1) 12,447	
<b>HOUSEHOLDS WITH MINOR CHILDREN THAT HAVE RESIDENT ADULT SMOKERS</b>					
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017</b>	
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	
<i>Estimated Number (N)</i>					
<b>Proportion with Adult Smokers</b>	41.4 (24.4-58.3) 17,048	BRFSS Data Not Available	29.4 (18.4-40.3) 12,456	BRFSS Data Not Collected	
<b>CIGARETTE SMOKING AMONG THOSE RECEIVING MENTAL HEALTH AND/OR SUBSTANCE-RELATED DISORDER SERVICES</b>					
Maryland Outcomes Measurement System Datamart (OMS)					
<i>Prevalence (%)</i>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<i>Number (N)</i>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>
<b>Mental Health Services</b>	50.7 (539)	47.6 (547)	48.4 (607)	46.2 (622)	45.7 (674)
<b>Substance-Related Disorder Services</b>	Not Available	76.0 (279)	79.7 (510)	77.0 (868)	75.3 (865)
<b>Both</b>	Not Available	71.6 (73)	75.9 (110)	70.9 (161)	75.8 (185)
<b>PERCENT AND NUMBER OF PREGNANT FEMALES SMOKING DURING PREGNANCY</b>					
Vital Statistics Administration					
<i>Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017</b>	
<i>Number (N)</i>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>	
<b>Proportion of Pregnant Smokers</b>	10.6 (170)	10.0 (161)	8.7 (150)	7.7 (121)	

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

\*Any tobacco includes cigarettes, cigars, and smokeless tobacco, excludes ESDs and other tobacco (pipes, hookah, bidis, kreteks, or dissolvable).

\*\*By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).