



# Garrett County

## Tobacco/ESD Use by Adults: 2012-2017

Behavioral Risk Factor Surveillance System (BRFSS)

<b>CURRENT USE OF TOBACCO/ELECTRONIC SMOKING DEVICES (ESDs)</b>				
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017*</b>
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>
<i>Estimated Number (N)</i>				
<b>Any Tobacco</b> <i>(Any tobacco includes cigarettes, cigars, smokeless tobacco, and other tobacco products, excludes ESDs)</i>	23.7 (14.4-32.9) 5,317	17.5 (9.9-25.1) 4,435	21.5 (15.2-27.7) 6,764	19.6 (12.4-26.9) 5,022
<b>Cigarettes</b>	20.8 (11.4-30.2) 4,662	15.1 (8.2-22.1) 3,735	18.0 (11.7-24.3) 5,432	17.9 (10.7-25.1) 4,078
<b>Cigars</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Smokeless Tobacco</b>	BRFSS Data Not Available	BRFSS Data Not Available	5.6 (2.8-8.4) 1,675	BRFSS Data Not Available
<b>ESDs</b>	No BRFSS Data Collected	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>CURRENT TOBACCO USE — Gender and Race/Ethnicity</b>				
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017*</b>
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>
<i>Estimated Number (N)</i>				
<b>Female</b>	BRFSS Data Not Available	12.9 (5.9-19.8) 1,725	21.4 (11.6-31.2) 3,340	12.0 (5.6-18.5) 1,493
<b>Male</b>	28.8 (15.8-41.8) 2,955	BRFSS Data Not Available	21.6 (13.7-29.5) 3,424	26.8 (14.9-38.6) 3,530
<b>White</b>	22.5 (13.0-32.0) 5,482	17.8 (9.9-25.7) 4,256	20.6 (14.3-26.9) 6,239	19.8 (12.3-27.3) 4,877
<b>African American/Black</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Asian</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Hispanic/Latino</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>American Indian/Alaskan Native</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>**Minority Combined (Race &amp; Female)</b>	BRFSS Data Not Available	12.3 (5.6-19.1) 1,725	23.1 (13.5-32.7) 3,831	11.7 (5.5-18.0) 1,530

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

\*Any tobacco includes cigarettes, cigars, and smokeless tobacco, excludes ESDs and other tobacco (pipes, hookah, bidis, kreteks, or dissolvable).

\*\*By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).

<b>CURRENT TOBACCO USE — Income and Education</b>					
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017*</b>	
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	
<i>Estimated Number (N)</i>					
<b>Income</b>					
<b>&lt; \$50k</b>	25.8 (11.9-39.8) 3,711	22.4 (11.4-33.4) 2,832	28.3 (18.2-38.5) 4,165	25.7 (16.1-35.3) 2,780	
<b>&gt; \$50k</b>	BRFSS Data Not Available	BRFSS Data Not Available	12.7 (5.4-20.0) 1,246	BRFSS Data Not Available	
<b>Education</b>					
<b>No High School/High School- GED</b>	26.5 (11.3-41.7) 3,735	24.5 (12.5-36.5) 3,553	23.7 (14.2-33.3) 4,313	24.3 (13.1-35.5) 3,753	
<b>Some College/College Grad</b>	15.1 (7.7-22.5) 1,607	BRFSS Data Not Available	18.4 (11.4-25.3) 2,451	12.6 (5.8-19.3) 1,269	
<b>HOUSEHOLDS WITH MINOR CHILDREN THAT HAVE RESIDENT ADULT SMOKERS</b>					
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017</b>	
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	
<i>Estimated Number (N)</i>					
<b>Proportion with Adult Smokers</b>	20.8 (9.5-32.2) 947	BRFSS Data Not Available	34.4 (19.6-49.3) 3,818	BRFSS Data Not Collected	
<b>CIGARETTE SMOKING AMONG THOSE RECEIVING MENTAL HEALTH AND/OR SUBSTANCE-RELATED DISORDER SERVICES</b>					
Maryland Outcomes Measurement System Datamart (OMS)					
<i>Prevalence (%)</i>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<i>Number (N)</i>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>
<b>Mental Health Services</b>	44.0 (171)	38.7 (142)	44.7 (183)	41.5 (161)	42.8 (180)
<b>Substance-Related Disorder Services</b>	Not Available	77.9 (141)	80.0 (200)	80.5 (243)	81.3 (248)
<b>Both</b>	Not Available	71.4 (10)	84.4 (27)	78.6 (33)	87.9 (29)
<b>PERCENT AND NUMBER OF PREGNANT FEMALES SMOKING DURING PREGNANCY</b>					
Vital Statistics Administration					
<i>Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2017</b>	
<i>Number (N)</i>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>	
<b>Proportion of Pregnant Smokers</b>	17.4 (50)	19.7 (56)	23.5 (73)	16.7 (44)	

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

\*Any tobacco includes cigarettes, cigars, and smokeless tobacco, excludes ESDs and other tobacco (pipes, hookah, bidis, kreteks, or dissolvable).

\*\*By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).