



Kent County

Tobacco/ESD Use by Adults: 2012-2017

Behavioral Risk Factor Surveillance System (BRFSS)

CURRENT USE OF TOBACCO/ELECTRONIC SMOKING DEVICES (ESDs)				
<i>Estimated Prevalence (%)</i>	2012	2014	2016	2017*
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Any Tobacco <i>(Any tobacco includes cigarettes, cigars, smokeless tobacco, and other tobacco products, excludes ESDs)</i>	21.7 (6.2-37.2) 3,960	21.7 (11.1-32.2) 3,362	20.6 (12.4-28.8) 3,044	15.3 (7.6-23.0) 2,114
Cigarettes	BRFSS Data Not Available	BRFSS Data Not Available	18.0 (9.8-26.2) 2,542	10.7 (4.9-16.5) 1,380
Cigars	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
Smokeless Tobacco	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
ESDs	No BRFSS Data Collected	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
CURRENT TOBACCO USE — Gender and Race/Ethnicity				
<i>Estimated Prevalence (%)</i>	2012	2014	2016	2017*
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Female	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
Male	BRFSS Data Not Available	BRFSS Data Not Available	26.7 (14.2-39.2) 2,213	BRFSS Data Not Available
White	BRFSS Data Not Available	24.1 (12.0-36.2) 2,896	21.6 (12.3-30.9) 2,267	14.8 (6.5-23.2) 1,800
African American/Black	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
Asian	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
Hispanic/Latino	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
American Indian/Alaskan Native	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
**Minority Combined (Race & Female)	BRFSS Data Not Available	BRFSS Data Not Available	17.5 (7.7-27.4) 1,501	15.4 (7.5-23.3) 1,264

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

***Any tobacco** includes cigarettes, cigars, and smokeless tobacco, excludes ESDs and other tobacco (pipes, hookah, bidis, kreteks, or dissolvable).

**By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).

CURRENT TOBACCO USE — Income and Education					
<i>Estimated Prevalence (%)</i>	2012	2014	2016	2017*	
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N	
<i>Estimated Number (N)</i>					
Income					
< \$50k	BRFSS Data Not Available	BRFSS Data Not Available	36.0 (19.8-52.1) 1,993	27.9 (13.1-42.7) 1,230	
> \$50k	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	
Education					
No High School/High School- GED	BRFSS Data Not Available	BRFSS Data Not Available	25.6 (13.3-37.9) 1,750	24.3 (10.7-37.8) 1,789	
Some College/College Grad	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	
HOUSEHOLDS WITH MINOR CHILDREN THAT HAVE RESIDENT ADULT SMOKERS					
<i>Estimated Prevalence (%)</i>	2012	2014	2016	2017	
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N	
<i>Estimated Number (N)</i>					
Proportion with Adult Smokers	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Collected	
CIGARETTE SMOKING AMONG THOSE RECEIVING MENTAL HEALTH AND/OR SUBSTANCE-RELATED DISORDER SERVICES					
Maryland Outcomes Measurement System Datamart (OMS)					
<i>Prevalence (%)</i>	2014	2015	2016	2017	2018
<i>Number (N)</i>	% N	% N	% N	% N	% N
Mental Health Services	53.2 (185)	52.1 (173)	38.7 (129)	44.5 (167)	46.9 (175)
Substance-Related Disorder Services	Not Available	79.8 (162)	64.9 (124)	59.3 (108)	67.1 (145)
Both	Not Available	78.9 (45)	55.4 (36)	64.9 (48)	74.5 (76)
PERCENT AND NUMBER OF PREGNANT FEMALES SMOKING DURING PREGNANCY					
Vital Statistics Administration					
<i>Prevalence (%)</i>	2012	2014	2016	2017	
<i>Number (N)</i>	% N	% N	% N	% N	
Proportion of Pregnant Smokers	15.8 (28)	15.9 (25)	14.2 (21)	14.9 (23)	

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

*Any tobacco includes cigarettes, cigars, and smokeless tobacco, excludes ESDs and other tobacco (pipes, hookah, bidis, kreteks, or dissolvable).

**By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).