



# Charles County

## Tobacco/ESD Use by Adults: 2012-2018

Behavioral Risk Factor Surveillance System (BRFSS)

<b>CURRENT USE OF TOBACCO/ELECTRONIC SMOKING DEVICES (ESDs)</b>				
<i>Estimated Prevalence (%)</i>	<b>2012*</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>
<i>Estimated Number (N)</i>				
<b>Any Tobacco</b> <i>(Any tobacco includes cigarettes, cigars, smokeless tobacco, and other tobacco products, and ESDs)</i>	20.5 (13.5-27.4) 27,840	19.4 (13.1-25.7) 22,966	18.2 (14.1-22.2) 21,877	18.4 (13.2-23.5) 22,841
<b>Cigarettes</b>	19.3 (12.3-26.3) 26,018	12.2 (7.2-17.1) 13,972	13.1 (9.8-16.5) 15,086	12.4 (8.6-16.2) 14,953
<b>Cigars</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Smokeless Tobacco</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>ESDs</b>	No BRFSS Data Collected	BRFSS Data Not Available	4.0 (1.7-6.3) 4,485	BRFSS Data Not Available
<b>CURRENT TOBACCO USE — Gender and Race/Ethnicity</b>				
<i>Estimated Prevalence (%)</i>	<b>2012*</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>
<i>Estimated Number (N)</i>				
<b>Female</b>	9.6 (5.1-14.2) 6,687	13.3 (6.3-20.4) 8,336	12.7 (8.2-17.3) 8,071	15.8 (9.9-21.6) 10,359
<b>Male</b>	31.5 (19.5-43.5) 21,446	26.0 (15.6-36.5) 14,629	24.2 (17.2-31.1) 13,806	21.2 (12.6-29.8) 12,482
<b>White</b>	23.1 (14.1-32.0) 17,618	20.8 (14.2-27.4) 11,781	24.7 (18.5-30.9) 12,852	18.5 (11.0-26.0) 9,507
<b>African American/Black</b>	BRFSS Data Not Available	BRFSS Data Not Available	13.8 (7.8-19.9) 7,006	20.1 (11.4-28.8) 11,297
<b>Asian</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>Hispanic/Latino</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>American Indian/Alaskan Native</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
<b>**Minority Combined (Race &amp; Female)</b>	15.2 (7.9-22.5) 14,964	17.1 (9.6-24.6) 15,743	14.7 (10.4-18.9) 13,724	18.5 (12.7-24.3) 18,191

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

\*Data on ESDs not collected during the survey year.

\*\*By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).

<b>CURRENT TOBACCO USE — Income and Education</b>					
<i>Estimated Prevalence (%)</i>	<b>2012*</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>	
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	
<i>Estimated Number (N)</i>					
<b>Income</b>					
<b>&lt; \$50k</b>	26.5 (14.8-38.3) 12,665	29.0 (12.5-45.6) 9,123	24.5 (14.5-34.5) 6,392	32.6 (18.7-46.6) 8,296	
<b>&gt; \$50k</b>	19.1 (9.1-29.0) 14,418	17.6 (11.1-24.1) 12,665	16.4 (11.6-21.2) 11,902	14.4 (9.0-19.8) 11,910	
<b>Education</b>					
<b>No High School</b>	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	
<b>High School or GED</b>	23.6 (11.1-36.2) 11,935	21.1 (9.7-32.5) 8,917	29.8 (20.9-38.8) 10,921	23.1 (14.7-31.5) 10,394	
<b>Some College</b>	BRFSS Data Not Available	15.4 (8.1-22.6) 5,712	13.6 (7.8-19.4) 6,168	13.6 (5.7-21.6) 5,560	
<b>College Grad</b>	BRFSS Data Not Available	BRFSS Data Not Available	10.9 (5.9-16.0) 3,382	9.8 (4.8-14.8) 2,891	
<b>HOUSEHOLDS WITH MINOR CHILDREN THAT HAVE RESIDENT ADULT SMOKERS</b>					
<i>Estimated Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>	
<i>Confidence Interval (CI)</i>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	<b>% CI N</b>	
<i>Estimated Number (N)</i>					
<b>Proportion with Adult Smokers</b>	31.4 (18.4-44.5) 17,600	33.4 (20.8-46.1) 14,514	23.3 (16.4-30.3) 11,024	23.0 (14.5-31.6) 9,403	
<b>CIGARETTE SMOKING AMONG THOSE RECEIVING MENTAL HEALTH AND/OR SUBSTANCE USE DISORDER SERVICES (CURRENT AS OF 4/2019)</b>					
Maryland Outcomes Measurement System Datamart (OMS)					
<i>Prevalence (%)</i>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<i>Number (N)</i>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>
<b>Mental Health Services</b>	36.6 (450)	38.1 (542)	39.8 (584)	37.6 (608)	29.9 (450)
<b>Substance Use Disorder Services</b>	Not Available	69.1 (366)	67.1 (410)	71.1 (588)	68.9 (498)
<b>Both</b>	Not Available	65.0 (104)	69.2 (119)	68.8 (150)	62.5 (95)
<b>PERCENT AND NUMBER OF PREGNANT FEMALES SMOKING DURING PREGNANCY</b>					
Vital Statistics Administration					
<i>Prevalence (%)</i>	<b>2012</b>	<b>2014</b>	<b>2016</b>	<b>2018</b>	
<i>Number (N)</i>	<b>% N</b>	<b>% N</b>	<b>% N</b>	<b>% N</b>	
<b>Proportion of Pregnant Smokers</b>	8.3 (160)	6.7 (125)	5.8 (106)	5.4 (101)	

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

\*Data on ESDs not collected during the survey year.

\*\*By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).