



Montgomery County

Tobacco/ESD Use by Adults: 2012-2018

Behavioral Risk Factor Surveillance System (BRFSS)

CURRENT USE OF TOBACCO/ELECTRONIC SMOKING DEVICES (ESDs)				
<i>Estimated Prevalence (%)</i>	2012⁺	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Any Tobacco <i>(Any tobacco includes cigarettes, cigars, smokeless tobacco, and other tobacco products, and ESDs)</i>	10.9 (8.2-13.7) 81,828	10.4 (7.7-13.1) 82,701	9.3 (7.5-11.1) 75,567	11.6 (9.4-13.8) 95,944
Cigarettes	7.5 (5.5-9.6) 55,857	7.9 (5.3-10.5) 59,938	6.2 (4.7-7.8) 47,185	7.1 (5.4-8.9) 56,031
Cigars	BRFSS Data Not Available	2.9 (1.5-4.4) 20,235	1.5 (0.7-2.3) 10,217	3.8 (2.3-5.3) 28,274
Smokeless Tobacco	BRFSS Data Not Available	BRFSS Data Not Available	1.1 (0.5-1.8) 8,783	BRFSS Data Not Available
ESDs	No BRFSS Data Collected	1.8 (0.8-2.8) 12,554	1.8 (0.9-2.6) 13,394	3.1 (1.8-4.5) 23,151
CURRENT TOBACCO USE — Gender and Race/Ethnicity				
<i>Estimated Prevalence (%)</i>	2012⁺	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Female	7.1 (4.4-9.8) 25,205	5.9 (3.4-8.4) 24,741	4.9 (3.4-6.4) 20,836	5.8 (3.8-7.7) 25,033
Male	14.3 (10.1-18.5) 63,964	15.4 (10.5-20.3) 57,960	14.2 (10.9-17.6) 54,731	18.0 (14.0-22.0) 70,495
White	13.9 (10.1-17.7) 53,149	9.8 (7.0-12.7) 36,134	8.7 (6.2-11.2) 31,703	10.6 (8.1-13.0) 38,680
African American/Black	BRFSS Data Not Available	BRFSS Data Not Available	11.2 (6.8-15.6) 15,577	12.5 (6.7-18.3) 18,290
Asian	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
Hispanic/Latino	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	14.3 (7.3-21.4) 21,581
American Indian/Alaskan Native	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
**Minority Combined (Race & Female)	8.0 (5.4-10.7) 47,808	9.3 (6.0-12.6) 56,245	7.9 (6.0-9.8) 50,059	11.2 (8.5-13.8) 71,921

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

⁺Data on ESDs not collected during the survey year.

**By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).

CURRENT TOBACCO USE — Income and Education				
<i>Estimated Prevalence (%)</i>	2012*	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Income				
< \$50k	11.3 (6.3-16.3)	10.8 (5.3-16.2)	14.0 (9.1-18.9)	17.9 (11.8-23.9)
	26,520	22,007	27,498	35,507
> \$50k	11.7 (8.3-15.1)	11.0 (7.6-14.3)	7.8 (5.8-9.8)	9.4 (7.0-11.7)
	52,884	47,505	36,749	43,381
Education				
No High School	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	21.7 (9.1-34.2)
				17,139
High School or GED	15.2 (7.4-23.1)	16.6 (8.6-24.7)	14.1 (7.8-20.3)	16.7 (10.1-23.2)
	20,640	22,404	15,364	19,392
Some College	15.9 (9.3-22.4)	12.6 (6.3-19.0)	13.4 (8.7-18.2)	18.0 (12.2-23.7)
	26,451	21,509	23,998	34,287
College Grad	7.4 (5.0-9.9)	6.8 (4.7-8.9)	5.7 (4.0-7.3)	5.6 (4.1-7.1)
	29,684	26,786	24,717	24,505
HOUSEHOLDS WITH MINOR CHILDREN THAT HAVE RESIDENT ADULT SMOKERS				
<i>Estimated Prevalence (%)</i>	2012	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Proportion with Adult Smokers	15.2 (9.7-20.8)	11.3 (6.5-16.2)	8.5 (5.4-11.6)	13.6 (9.3-18.0)
	41,554	31,651	22,479	36,581
CIGARETTE SMOKING AMONG THOSE RECEIVING MENTAL HEALTH AND/OR SUBSTANCE USE DISORDER SERVICES (CURRENT AS OF 4/2019)				
Maryland Outcomes Measurement System Datamart (OMS)				
<i>Prevalence (%)</i>	2014	2015	2016	2017
<i>Number (N)</i>	% N	% N	% N	% N
Mental Health Services	33.7 (1,291)	28.8 (1,234)	28.6 (1,348)	24.2 (1,187)
				20.0 (1,039)
Substance Use Disorder Services	Not Available	55.2 (148)	62.1 (308)	65.0 (575)
				59.0 (563)
Both	Not Available	62.4 (58)	68.4 (121)	67.0 (203)
				65.0 (160)
PERCENT AND NUMBER OF PREGNANT FEMALES SMOKING DURING PREGNANCY				
Vital Statistics Administration				
<i>Prevalence (%)</i>	2012	2014	2016	2018
<i>Number (N)</i>	% N	% N	% N	% N
Proportion of Pregnant Smokers	1.6 (213)	1.4 (186)	1.0 (134)	1.0 (128)

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

*Data on ESDs not collected during the survey year.

**By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).