



Prince George's County

Tobacco/ESD Use by Adults: 2012-2018

Behavioral Risk Factor Surveillance System (BRFSS)

CURRENT USE OF TOBACCO/ELECTRONIC SMOKING DEVICES (ESDs)				
<i>Estimated Prevalence (%)</i>	2012⁺	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Any Tobacco <i>(Any tobacco includes cigarettes, cigars, smokeless tobacco, and other tobacco products, and ESDs)</i>	16.6 (13.1-20.1) 103,805	18.8 (14.6-23.0) 130,769	15.0 (12.6-17.4) 106,840	14.2 (11.7-16.7) 101,335
Cigarettes	14.2 (10.8-17.5) 88,296	11.8 (8.7-15.0) 79,628	11.3 (9.1-13.4) 74,789	9.4 (7.4-11.4) 63,938
Cigars	4.7 (2.6-6.7) 23,783	8.1 (4.5-11.6) 52,011	3.1 (2.0-4.3) 18,610	4.6 (2.8-6.3) 29,665
Smokeless Tobacco	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
ESDs	No BRFSS Data Collected	BRFSS Data Not Available	2.4 (1.3-3.5) 15,768	2.4 (1.2-3.6) 15,554
CURRENT TOBACCO USE — Gender and Race/Ethnicity				
<i>Estimated Prevalence (%)</i>	2012⁺	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Female	13.1 (9.5-16.8) 43,722	13.6 (9.2-18.0) 49,837	11.0 (8.2-13.8) 41,302	7.5 (5.4-9.6) 28,170
Male	21.1 (15.0-27.1) 64,038	24.6 (17.5-31.8) 80,932	19.4 (15.4-23.4) 65,538	21.8 (17.3-26.4) 73,165
White	18.5 (11.5-25.5) 23,520	16.7 (8.9-24.5) 17,874	15.1 (10.4-19.8) 14,975	17.6 (11.1-24.0) 16,746
African American/Black	16.9 (12.8-20.9) 66,271	20.6 (15.1-26.2) 88,339	16.4 (13.1-19.6) 70,910	15.3 (11.9-18.6) 66,964
Asian	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
Hispanic/Latino	BRFSS Data Not Available	BRFSS Data Not Available	10.0 (4.2-15.7) 11,358	BRFSS Data Not Available
American Indian/Alaskan Native	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available	BRFSS Data Not Available
**Minority Combined (Race & Female)	16.4 (12.8-20.1) 93,972	18.3 (13.9-22.7) 116,931	14.3 (11.9-16.8) 94,201	13.4 (10.9-15.9) 88,531

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

⁺Data on ESDs not collected during the survey year.

****By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).**

CURRENT TOBACCO USE — Income and Education				
<i>Estimated Prevalence (%)</i>	2012⁺	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Income				
< \$50k	23.3 (16.5-30.1)	17.4 (10.5-24.3)	16.8 (12.6-21.0)	14.4 (10.0-18.8)
	56,923	42,110	39,797	34,833
> \$50k	12.3 (8.9-15.7)	19.9 (14.0-25.9)	14.4 (11.0-17.9)	15.9 (12.1-19.7)
	38,252	66,551	47,342	53,731
Education				
No High School	28.7 (13.1-44.3)	BRFSS Data Not Available	17.1 (7.3-26.9)	BRFSS Data Not Available
	22,374		14,807	
High School or GED	24.8 (17.0-32.5)	24.6 (15.5-33.8)	20.5 (15.4-25.7)	16.8 (11.9-21.8)
	39,769	44,045	37,178	31,381
Some College	15.8 (10.0-21.6)	19.5 (12.6-26.5)	16.4 (12.0-20.7)	16.3 (11.4-21.2)
	32,952	46,655	38,507	33,930
College Grad	6.8 (4.3-9.2)	9.0 (5.2-12.8)	7.9 (5.4-10.4)	11.3 (7.5-15.0)
	12,664	17,584	16,348	24,840
HOUSEHOLDS WITH MINOR CHILDREN THAT HAVE RESIDENT ADULT SMOKERS				
<i>Estimated Prevalence (%)</i>	2012	2014	2016	2018
<i>Confidence Interval (CI)</i>	% CI N	% CI N	% CI N	% CI N
<i>Estimated Number (N)</i>				
Proportion with Adult Smokers	21.4 (14.7-28.2)	17.4 (11.3-23.5)	20.1 (14.8-25.5)	15.1 (10.3-19.9)
	48,264	44,688	45,308	35,041
CIGARETTE SMOKING AMONG THOSE RECEIVING MENTAL HEALTH AND/OR SUBSTANCE USE DISORDER SERVICES (CURRENT AS OF 4/2019)				
Maryland Outcomes Measurement System Datamart (OMS)				
<i>Prevalence (%)</i>	2014	2015	2016	2017
<i>Number (N)</i>	% N	% N	% N	% N
Mental Health Services	32.9 (1,285)	29.3 (1,371)	26.1 (1,298)	22.8 (1,225)
	19.2 (1,133)			
Substance Use Disorder Services	Not Available	46.3 (202)	57.1 (382)	53.9 (578)
		54.2 (567)		
Both	Not Available	56.5 (52)	53.1 (69)	56.4 (119)
		50.6 (90)		
PERCENT AND NUMBER OF PREGNANT FEMALES SMOKING DURING PREGNANCY				
Vital Statistics Administration				
<i>Prevalence (%)</i>	2012	2014	2016	2018
<i>Number (N)</i>	% N	% N	% N	% N
Proportion of Pregnant Smokers	2.4 (281)	2.5 (304)	1.6 (197)	1.5 (181)

When "BRFSS Data Not Available" is noted in the tables, this is due to a high uncertainty or an insufficient sample size.

*Data on ESDs not collected during the survey year.

**By CRF/Tobacco legislative statute, minority is defined as an individual of African American, Hispanic, Native American, or Asian descent plus all women (MD Health-General Article §13-1101).